GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services- Water Resources Department – Vigilance Report – Allegations in execution of work “Restoration of Irrigation channels and improvements to bund of Racheruvu near Brahmanapalli (V) of Kalasapadu (M) in YSR District” taken up by the WRD department under world Bank funds – Disciplinary proceedings against certain officers of Water Resources Department under Rule 20 of APCS (CC&A) Rules, 1991 - Appointment of Sri M. Kiran Kumar, Chief Engineer, Quality Control Wing for Rayalasema Region, Kadapa as Inquiring Authority - Orders – Issued.

WATER RESOURCES (Vig.II-A1) DEPARTMENT

G.O.RT.No. 278 Dated: 09-06-2025

Read the following:-

G.O.Rt.Nos.2046-2051, Water Resources (VIG.II) Department, dt.18.10.2022

>><<

O R D E R

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following five (05) officers:

Sl.No.	Name of the Officer	Designation
1	Sri. S. Phaneedhra Singh	The then AEE
2	Sri. T. Mallikarjuna	The then DEE
3	Sri. M.V.Ramana Reddy	The then DEE
4	Sri E.Mallikarjuna	The then EE
5	Sri M. Konda Reddy (Retd)	The then EE

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said five (5) officers.

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints Sri M. Kiran Kumar, Chief Engineer, Quality Control Wing for Rayalasema Region, Kadapa, as the Inquiring Authority to inquire into the charges framed against the above said five (5) officers.

4. Copies of reports, charge memoranda and Written Statements of Defence submitted by the charged Officers are forwarded herewith to the Inquiring Authority. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiring Authority shall conduct inquiry strictly in terms of Rule 20 of APCS(CC&A) Rule,1991 and submit his report as required under sub-rule 18(ii) of the above said rule.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

G SAI PRASAD
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To

1	Sri. M.V.Ramana Reddy, the then Dy. Exe. Engineer Irrigation Sub Division, WRD, Badvel	**through** the Engineer-in-Chief (AW), Water Resources Department, Vijayawada
2	Sri .E.Mallikarjuna, the then Executive Engineer, Irrigation Division, WRD, Kadapa.	
3	Sri M. Konda Reddy, the then Executive Engineer, Irrigation Division, WRD, Kadapa (retired on june 2020)	
4.	Sri. S. Phaneedhra Singh, the then Asst. Exe. Engineer, Irrigation Circle, WRD, Kadapa	
5.	Sri. T. Mallikarjuna, the then Dy. Exe.Engineer, Irrigation Circle, WRD, kadapa	

Sri M. Kiran Kumar, Chief Engineer, Quality Control Wing for Rayalasema Region, Kadapa as Inquiring Authority (Through ENC(AW), WRD, AP) (w.e)

Sri K.Venkateswara Raju, Superintend Engineer, Irrigation Circle, Chittoor and Presenting officer in this case (Through ENC(AW), WRD, AP)

Copy to:

The Engineer-in-Chief(AW), Water Resources Department, Vijayawada with a request to submit the dated acknowledgements of the charged officer to Government without any delay.

The Secretary, AP Vigilance Commission, 5th Building, A.P. Secretariat, Velagapudi, Amaravati.

S.F/S.C.

//FORWARDED::BY ORDER//

SECTION OFFICER